AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

AARONSON P.I. & BENHAM C.D. Alterations in $[Ca^{2+}]_i$ mediated by sodium–calcium exchange in smooth muscle cells isolated from the guinea-pig ureter. 1

ABBAS S.K., CARE A.D., COOPER C.W., GREELY G.H. & SEITZ P.K. Stimulation of calcitonin secretion rate by calcitonin gene-related peptide in the anaesthetized pig. (C) 50*P*

AKAIKE Norio, KANAIDE Hideo, KUGA Takeshi, NAKAMURA Motoomi, SADOSHIMA Jun-ichi & TOMOIKE Hitonobu Low-voltage-activated calcium current in rat aorta smooth muscle cells in primary culture. 141

AKASU T. & TOKIMASA T. Potassium currents in submucous neurones of guinea-pig caecum and their synaptic modification. 571

ALARCÓN G. & CERVERO F. Effects of two anaesthetic regimes on the heterotopic inhibition of rat dorsal horn neurones. (C) 19*P*

AL-GAILANI B.T. & COTTERRELL D. Trifluoperazine and the possible contribution of calmodulin to the deformability of Ca-loaded human erythrocyte ghosts. (C) 38*P*

ALLEN D.G. & LEE J.A. EMD 53998 increases tension with little effect on the amplitude of calcium transients in isolated ferret ventricular muscle. (C) 43*P*

AL-OBAIDI M., GOONEWARDENE I.P., KARIM F., MAJID D.S.A. & SUMMERILL R.A. Simple method of measurement of changes in total vascular capacitance in anaesthetized pigs from bilateral carotid occlusion. (D) 14*P*

AL-OBAIDI M. & KARIM F. Effects of carotid chemoreceptor stimulation on renal and muscle blood flow in anaesthetized dogs. (PC) 68*P*

AL-TIMMAN J.K.A., BOWSER-RILEY F., HAINSWORTH R. & KIDD C. A device for the generation of fixed negative or positive pressures for application to a neck chamber for the study of the baroreceptor reflex in humans. (D) 11*P*

AL-TIMMAN J.K.A., HAINSWORTH R. & VUKASOVIC J.L. A chamber for the application of high levels of either positive or negative pressures to the lower part of the body in human subjects. (D) 12*P*

AL-TIMMAN J.K.A., BOWSER-RILEY F., HAINSWORTH R. & KIDD C. Baroreceptor responses in men during exposure to hydrostatic pressures of 46 atmospheres. (PC) 67*P*

ANDERSON I.D., FORSLING M.L., LITTLE R.A. & PYMAN J.A. Acute injury is a potent stimulus for vasopressin release in man. (C) 28*P*

ANGEL A. & HARRIS M.C. Effect of chemoreceptor activation on responses of neurones in thalamus and cortex to forepaw stimulation in the anaesthetized rat. (C) 25*P*

APPENTENG Kwabena, CONYERS Lisa, CURTIS John & MOORE Jane Mapping the monosynaptic connections of identified trigeminal interneurones in anaesthetized rats. (D) 4*P*

ARGIBAY J.A., GARNIER D., LE GUENNEC J.-Y., NIGRETTO J.M. & PEINEAU N. Mechanical properties of isolated guinea-pig ventricular cardiocytes subjected to a mechanical load. (C) 39*P*

ASHCROFT Frances M. & KAKEI M. ATP-sensitive K^+ channels in rat pancreatic β-cells: modulation by ATP and Mg^{2+} ions. 349

ASMUSSEN Gerhard & MARÉCHAL Georges Maximal shortening velocities, isomyosins and fibre types in soleus muscle of mice, rats and guinea-pigs. 245

AVANZINI Giuliano, DE CURTIS Marco, PANZICA Ferruccio & SPREAFICO Roberto Intrinsic properties of nucleus reticularis thalami neurones of the rat studied *in vitro*. 111

BALUK Peter & GABELLA Giorgio Ganglion neurones of the rat trachea lack a sympathetic input and some of them partially express a noradrenergic phenotype. (C) 16*P*

BARAJAS-LÓPEZ Carlos, CHOW Edwin, DEN HERTOG Adriaan & HUIZINGA Jan D. Role of the sodium pump in pacemaker generation in dog colonic smooth muscle. 369

BARAJAS-LÓPEZ Carlos, DEN HERTOG Adriaan & HUIZINGA Jan D. Ionic basis of pacemaker generation in dog colonic smooth muscle. 385

BARER G.R., EMERY C.J., KONTAKIOTIS T., RUSSELL P.C. & WRIGHT C. Pulmonary vasodilatation by histamine in normal and chronically hypoxic anaesthetized rats: site of action. (C) 26*P*

BARKER P.M., STRANG L.B. & WALTERS D.V. The role of triiodothyronine (T_3) in maturation of the adrenaline-induced reabsorption of lung liquid in the fetal sheep. (C) 51*P*

BATTEN T.F.C. & MAQBOOL A. Ultrastructural demonstration of biogenic amine- and γ-aminobutyric acid-containing nerve terminals in the dorsal motor vagal nucleus of the cat medulla oblongata. (D) 10*P*

BATTEN T.F.C. & MYNETT J.R. Serotonin stimulates atrial natriuretic peptide release from isolated rat atria. (PC) 69*P*

BAUMBACH Gary L., HEISTAD Donald D. & SIEMS Jay E. Effect of sympathetic nerves on composition and distensibility of cerebral arterioles in rats. 123

BECK J.S. & POTTS D.J. Acetazolamide and transient responses of basolateral membrane potential of rabbit kidney proximal tubules perfused *in vitro*. 337

BECK J.S. & POTTS D.J. Cell swelling in rabbit proximal convoluted tubules perfused *in vitro*. (C) 31*P*

BEN-ARI Yehezkel, CHERUBINI Enrico, CORRADETTI Renato & GAIARSA Jean-Luc Giant synaptic potentials in immature rat CA3 hippocampal neurones. 303

BENHAM C.D. *see* AARONSON P.I. & BENHAM C.D. Alterations in $[Ca^{2+}]_i$ mediated by sodium–calcium exchange in smooth muscle cells isolated from the guinea-pig ureter. 1

BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic effects of hypoglycaemia in conscious, Long–Evans rats. (C) 57*P*

BENNETT T., COMPTON A.M. & GARDINER S.M. Central haemodynamics and cardiac baroreflexes in conscious rats with flow probes on the ascending aorta. (C) 58*P*

BIRNSO O.V., DAVIES W.E. & KAY I.S. Taurine depletion by β-alanine produces hearing deficits in anaesthetized ferrets. (C) 22*P*

BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. Measurements of intracellular Ca^{2+} in dissociated type I cells of the rabbit carotid body. 421

BLACKETT A.D., CANAVAN J.P., GOLDSPINK D.F. & HOLT J. Growth of the rat fetal liver during normal and diabetic pregnancies. (C) 49*P*

BLESSING W.W. Baroreceptor–vasomotor reflex after *N*-methyl-D-aspartate receptor blockade in rabbit caudal ventrolateral medulla. 67

BLISS T.V.P., LYNCH M.A. & WILLIAMS J.H. Increased release of glutamate and arachidonic acid accompanies calcium-induced long-term potentiation in the rat hippocampal slice. (C) 24*P*

BOUROUMAND-NAINI M. & PETERSEN S.A. Strain differences in obesity produced by long-term feeding of high fat diet to rats. (C) 52*P*

BOVELL Douglas L., ELDER Hugh Y., PEDIANI John D. & WILSON Stuart M. Potassium ($^{86}Rb^+$) efflux from the rat submandibular gland under sodium-free conditions *in vitro*. 503

BOWSER-RILEY F. *see* AL-TIMMAN J.K.A., BOWSER-RILEY F., HAINSWORTH R. & KIDD C. A device for the generation of fixed negative or positive pressures for application to a neck chamber for the study of the baroreceptor reflex in humans. (D) 11*P*

BOWSER-RILEY F. *see* AL-TIMMAN J.K.A., BOWSER-RILEY F., HAINSWORTH R. & KIDD C. Baroreceptor responses in men during exposure to hydrostatic pressures of 46 atmospheres. (PC) 67*P*

BOYETT M.R., DEANE G.B., NEWCOMBE A. & ORCHARD C.H. A versatile pulse generator for controlling physiological experiments. (D) 2*P*

BOYETT M.R. & KIRBY M.S. Changes in the length, width and volume of isolated rat ventricular myocytes during an unloaded twitch contraction. (C) 40*P*

BOYETT M.R., McCALL E. & ORCHARD C.H. Acidosis increases the response of isolated papillary muscles from ferret hearts to inotropic interventions. (C) 41*P*

BRAYDEN J.E., NELSON M.T., QUAYLE J.M. & STANDEN N.B. Blockers of ATP-sensitive potassium channels reverse vasodilatation and hyperpolarization to acetylcholine, vasoactive intestinal polypeptide, cromakalim, diazoxide and pinacidil in rabbit isolated arteries. (C) 47*P*

BRINDLEY J., HOLDEN A.V. & PALMER A. A numerical model for re-entry in weakly coupled parallel excitable fibres. (C) 48*P*

BROWN H.F., DENYER J.C. & KIMURA J. Manganese-induced increase of hyperpolarization-activated current, i_f, in rabbit sino-atrial node multicellular preparations and isolated cells. (C) 45*P*

CABLE N.T. & GREEN J.H. The influence of bicycle exercise, with or without hand immersion in cold water, on forearm sweating in young and middle-aged women. (C) 61*P*

CANAVAN J.P. *see* BLACKETT A.D., CANAVAN J.P., GOLDSPINK D.F. & HOLT J. Growth of the rat fetal liver during normal and diabetic pregnancies. (C) 49*P*

CARE A.D. *see* ABBAS S.K., CARE A.D., COOPER C.W., GREELY G.H. & SEITZ P.K. Stimulation of calcitonin secretion rate by calcitonin gene-related peptide in the anaesthetized pig. (C) 50*P*

CARE F.M.S., COULSHED D. & HAINSWORTH R. A method for the independent control of cardiac and arterial baroreceptor pressures in anaesthetized dogs. (D) 9*P*

CARE F.M.S., COULSHED D.S., COWAN J.C. & HAINSWORTH R. Effects of left ventricular systolic and end-diastolic pressures on the duration of the cardiac action potential in anaesthetized dogs. (C) 56*P*

CARSTAIRS Jill R., MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The autoradiographic localization of substance P and calcitonin gene-related peptide binding sites in blood vessels of the rat. (PC) 66*P*

CARTER D.A. & MURPHY D. Activation of vasopressin gene expression in fluid-deprived rats. (C) 33*P*

CASEY J.F., DAVIES G.A., ETTLES D.F., HICK D.G., MORRISON J.F.B. & WILLIAMS G.J. A system for ambulatory monitoring and physiological analysis of oesophageal motility, luminal pH and ischaemic ECG changes in patients with chest pain. (D) 3*P*

CERVERO F. *see* ALARCÓN G. & CERVERO F. Effects of two anaesthetic regimes on the heterotopic inhibition of rat dorsal horn neurones. (C) 19*P*

CHAPMAN R.A. & RODRIGO Glenn C. Characteristics of the Na activated K-current in isolated guinea-pig ventricular myocytes, revealed by the rise in a^{i}_{Na} during Ca-depletion. (C) 46*P*

CHARLTON B.G., NEAL D.E. & SIMMONS N.L. Vasoactive intestinal peptide stimulation of human renal adenylate cyclase *in vitro*. (C) 32*P*

CHERUBINI Enrico *see* BEN-ARI Yehezkel, CHERUBINI Enrico, CORRADETTI Renato & GAIARSA Jean-Luc Giant synaptic potentials in immature rat CA3 hippocampal neurones. 303

CHESTER A.H., DASHWOOD M.R., SYKES R. & YACOUB M.H. Autoradiographic localization of endothelin binding sites in human coronary tissue. (PC) 65*P*

CHOW Edwin *see* BARAJAS-LÓPEZ Carlos, CHOW Edwin, DEN HERTOG Adriaan & HUIZINGA Jan D. Role of the sodium pump in pacemaker generation in dog colonic smooth muscle. 369

CLARKE R.W., FORD T.W., GALLOWAY Fiona J. & TAYLOR J.S. Naloxone enhancement of flexor and extensor reflexes in the rabbit. (C) 18*P*

COLLINS A.J. & SMITH M.W. Hexose regulation of α-glucosidase in mouse jejunal brush-border membranes. (C) 35*P*

COMPTON A.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic effects of hypoglycaemia in conscious, Long–Evans rats. (C) 57*P*

COMPTON A.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Central haemodynamics and cardiac baroreflexes in conscious rats with flow probes on the ascending aorta. (C) 58*P*

CONYERS Lisa *see* APPENTENG Kwabena, CONYERS Lisa, CURTIS John & MOORE Jane Mapping the monosynaptic connections of identified trigeminal interneurones in anaesthetized rats. (D) 4*P*

COOPER C.W. *see* ABBAS S.K., CARE A.D., COOPER C.W., GREELY G.H. & SEITZ P.K. Stimulation of calcitonin secretion rate by calcitonin gene-related peptide in the anaesthetized pig. (C) 50*P*

COOTE J.H. & LEWIS D.I. The action of catecholamines on sympathetic preganglionic neurones in the T_2 segment of the anaesthetized adult rat spinal cord. (C) 17*P*

CORRADETTI Renato *see* BEN-ARI Yehezkel, CHERUBINI Enrico, CORRADETTI Renato & GAIARSA Jean-Luc Giant synaptic potentials in immature rat CA3 hippocampal neurones. 303

COTTERRELL D. *see* AL-GAILANI B.T. & COTTERRELL D. Trifluoperazine and the possible contribution of calmodulin to the deformability of Ca-loaded human erythrocyte ghosts. (C) 38*P*

COULSHED D. *see* CARE F.M.S., COULSHED D. & HAINSWORTH R. A method for the independent control of cardiac and arterial baroreceptor pressures in anaesthetized dogs. (D) 9*P*

COULSHED D.S. *see* CARE F.M.S., COULSHED D.S., COWAN J.C. & HAINSWORTH R. Effects of left ventricular systolic and end-diastolic pressures on the duration of the cardiac action potential in anaesthetized dogs. (C) 56*P*

COWAN J.C. *see* CARE F.M.S., COULSHED D.S., COWAN J.C. & HAINSWORTH R. Effects of left ventricular systolic and end-diastolic pressures on the duration of the cardiac action potential in anaesthetized dogs. (C) 56*P*

CRONE Clarissa & NIELSEN Jens Spinal mechanisms in man contributing to reciprocal inhibition during voluntary dorsiflexion of the foot. 255

CUI Z.J. & MATTHEWS E.K. Amylase secretion from isolated rat pancreatic acini and cultured AR4-2J cells: effects of a photodynamic agent. (C) 36*P*

CURTIS John *see* APPENTENG Kwabena, CONYERS Lisa, CURTIS John & MOORE Jane Mapping the monosynaptic connections of identified trigeminal interneurones in anaesthetized rats. (D) 4*P*

DASHWOOD M.R. *see* CHESTER A.H., DASHWOOD M.R., SYKES R. & YACOUB M.H. Autoradiographic localization of endothelin binding sites in human coronary tissue. (PC) 65*P*

DAVIES G.A. *see* CASEY J.F., DAVIES G.A., ETTLES D.F., HICK D.G., MORRISON J.F.B. & WILLIAMS G.J. A system for ambulatory monitoring and physiological analysis of oesophageal motility, luminal pH and ischaemic ECG changes in patients with chest pain. (D) 3*P*

DAVIES W.E. *see* BIRNSO O.V., DAVIES W.E. & KAY I.S. Taurine depletion by β-alanine produces hearing deficits in anaesthetized ferrets. (C) 22*P*

DE CURTIS Marco *see* AVANZINI Giuliano, DE CURTIS Marco, PANZICA Ferruccio & SPREAFICO Roberto Intrinsic properties of nucleus reticularis thalami neurones of the rat studied *in vitro*. 111

DEANE G.B. *see* BOYETT M.R., DEANE G.B., NEWCOMBE A. & ORCHARD C.H. A versatile pulse generator for controlling physiological experiments. (D) 2*P*

DEN HERTOG Adriaan *see* BARAJAS-LÓPEZ Carlos, CHOW Edwin, DEN HERTOG Adriaan & HUIZINGA Jan D. Role of the sodium pump in pacemaker generation in dog colonic smooth muscle. 369

DEN HERTOG Adriaan *see* BARAJAS-LÓPEZ Carlos, DEN HERTOG Adriaan & HUIZINGA Jan D. Ionic basis of pacemaker generation in dog colonic smooth muscle. 385

DENYER J.C. *see* BROWN H.F., DENYER J.C. & KIMURA J. Manganese-induced increase of hyperpolarization-activated current, i_f, in rabbit sino-atrial node multicellular preparations and isolated cells. (C) 45*P*

DONOSO P., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. The fluorescent probe Indo-1 can indicate $[Ca^{2+}]_i$ and caffeine concentration simultaneously. (C) 42*P*

DRINKHILL M.J., KAYE D., MARY D.A.S.G. & PATEL P. Measurement of reflex changes in coronary blood flow in the anaesthetized dog. (D) 7*P*

DUCHEN M.R. *see* BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. Measurements of intracellular Ca^{2+} in dissociated type I cells of the rabbit carotid body. 421

DUGGAN J.P. & HERVEY G.R. Automatic recording of voluntary food intake by individual rats. (D) 14*P*

EDWARDS F.R., HARRISON P.J., JACK J.J.B. & KULLMANN D.M. Reduction by baclofen of monosynaptic EPSPs in lumbosacral motoneurones of the anaesthetized cat. 539

EISNER D.A. *see* BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. Measurements of intracellular Ca^{2+} in dissociated type I cells of the rabbit carotid body. 421

EISNER D.A. *see* DONOSO P., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. The fluorescent probe Indo-1 can indicate $[Ca^{2+}]_i$ and caffeine concentration simultaneously. (C) 42*P*

ELDER Hugh Y. *see* BOVELL Douglas L., ELDER Hugh Y., PEDIANI John D. & WILSON Stuart M. Potassium ($^{86}Rb^+$) efflux from the rat submandibular gland under sodium-free conditions *in vitro*. 503

EMERY C.J. *see* BARER G.R., EMERY C.J., KONTAKIOTIS T., RUSSELL P.C. & WRIGHT C. Pulmonary vasodilatation by histamine in normal and chronically hypoxic anaesthetized rats: site of action. (C) 26*P*

ENGLISH Arthur W. & WEEKS Ophelia I. Electromyographic cross-talk within a compartmentalized muscle of the cat. 327

ETTLES D.F. *see* CASEY J.F., DAVIES G.A., ETTLES D.F., HICK D.G., MORRISON J.F.B. & WILLIAMS G.J. A system for ambulatory monitoring and physiological analysis of oesophageal motility, luminal pH and ischaemic ECG changes in patients with chest pain. (D) 3*P*

FAIN G.L., LAMB T.D., MATTHEWS H.R. & MURPHY R.L.W. Cytoplasmic calcium as the messenger for light adaptation in salamander rods. 215

FERNANDES P.L., FERREIRA H.G. & FERREIRA K.T.G. The coupled movements of sodium and chloride across the basolateral membrane of frog skin epithelium. 403

FERREIRA H.G. *see* FERNANDES P.L., FERREIRA H.G. & FERREIRA K.T.G. The coupled movements of sodium and chloride across the basolateral membrane of frog skin epithelium. 403

FERREIRA K.T.G. *see* FERNANDES P.L., FERREIRA H.G. & FERREIRA K.T.G. The coupled movements of sodium and chloride across the basolateral membrane of frog skin epithelium. 403

FORD T.W. *see* CLARKE R.W., FORD T.W., GALLOWAY Fiona J. & TAYLOR J.S. Naloxone enhancement of flexor and extensor reflexes in the rabbit. (C) 18*P*

FORSLING M.L. *see* ANDERSON I.D., FORSLING M.L., LITTLE R.A. & PYMAN J.A. Acute injury is a potent stimulus for vasopressin release in man. (C) 28*P*

FRIEDLANDER Michael J. & MARTIN Kevan A.C. Development of Y-axon innervation of cortical area 18 in the cat. 183

FRYER Martin W. & NEERING Ian R. Actions of caffeine on fast- and slow-twitch muscles of the rat. 435

GABELLA Giorgio *see* BALUK Peter & GABELLA Giorgio Ganglion neurones of the rat trachea lack a sympathetic input and some of them partially express a noradrenergic phenotype. (C) 16*P*

GAIARSA Jean-Luc *see* BEN-ARI Yehezkel, CHERUBINI Enrico, CORRADETTI Renato & GAIARSA Jean-Luc Giant synaptic potentials in immature rat CA3 hippocampal neurones. 303

GALLEN I.W. & MACDONALD I.A. The effect of blood glucose concentration on cardiovascular and plasma catecholamine responses to infusion of glucose and insulin in man. (C) 27*P*

GALLOWAY Fiona J. *see* CLARKE R.W., FORD T.W., GALLOWAY Fiona J. & TAYLOR J.S. Naloxone enhancement of flexor and extensor reflexes in the rabbit. (C) 18*P*

GARDINER S.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic effects of hypoglycaemia in conscious, Long–Evans rats. (C) 57*P*

GARDINER S.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Central haemodynamics and cardiac baroreflexes in conscious rats with flow probes on the ascending aorta. (C) 58*P*

GARNIER D. *see* ARGIBAY J.A., GARNIER D., LE GUENNEC J.-Y., NIGRETTO J.M. & PEINEAU N. Mechanical properties of isolated guinea-pig ventricular cardiocytes subjected to a mechanical load. (C) 39*P*

GIRALDEZ F., MURRAY K.J., SEPÚLVEDA F.V. & SHEPPARD D.N. Characterization of a phosphorylation-activated Cl^--selective channel in isolated *Necturus* enterocytes. 517

GLEES P., HASAN M. & VOTH D. Ultrastructural observations on transendothelial transport from extracellular neuronal spaces towards the vascular lumina of cerebral capillaries of hydrocephalic human biopsies. (D) 5*P*

GOLDSPINK D.F. *see* BLACKETT A.D., CANAVAN J.P., GOLDSPINK D.F. & HOLT J. Growth of the rat fetal liver during normal and diabetic pregnancies. (C) 49*P*

GOONEWARDENE I.P. *see* AL-OBAIDI M., GOONEWARDENE I.P., KARIM F., MAJID D.S.A. & SUMMERILL R.A. Simple method of measurement of changes in total vascular capacitance in anaesthetized pigs from bilateral carotid occlusion. (D) 14*P*

GOONEWARDENE I.P. & KARIM F. Effect of adenosine deaminase on free-flow post-tetanic hyperaemia in anaesthetized dogs. (C) 59*P*

GREELY G.H. *see* ABBAS S.K., CARE A.D., COOPER C.W., GREELY G.H. & SEITZ P.K. Stimulation of calcitonin secretion rate by calcitonin gene-related peptide in the anaesthetized pig. (C) 50*P*

GREEN J.H. *see* CABLE N.T. & GREEN J.H. The influence of bicycle exercise, with or without hand immersion in cold water, on forearm sweating in young and middle-aged women. (C) 61*P*

GRIEVE K.L. & SILLITO A.M. Length summation in layer VI cells of visual cortex and hypercomplex cell inhibitory end zones in the anaesthetized cat. (C) 21*P*

GRITTI Ivana & SCHIEPPATI Marco Short-latency inhibition of soleus motoneurones by impulses in Ia afferents from the gastrocnemius muscle in humans. 469

HAINSWORTH R. *see* CARE F.M.S., COULSHED D. & HAINSWORTH R. A method for the independent control of cardiac and arterial baroreceptor pressures in anaesthetized dogs. (D) 9*P*

HAINSWORTH R. *see* AL-TIMMAN J.K.A., BOWSER-RILEY F., HAINSWORTH R. & KIDD C. A device for the generation of fixed negative or positive pressures for application to a neck chamber for the study of the baroreceptor reflex in humans. (D) 11*P*

HAINSWORTH R. *see* AL-TIMMAN J.K.A., HAINSWORTH R. & VUKASOVIC J.L. A chamber for the application of high levels of either positive or negative pressures to the lower part of the body in human subjects. (D) 12*P*

HAINSWORTH R. *see* CARE F.M.S., COULSHED D.S., COWAN J.C. & HAINSWORTH R. Effects of left ventricular systolic and end-diastolic pressures on the duration of the cardiac action potential in anaesthetized dogs. (C) 56*P*

HAINSWORTH R. *see* AL-TIMMAN J.K.A., BOWSER-RILEY F., HAINSWORTH R. & KIDD C. Baroreceptor responses in men during exposure to hydrostatic pressures of 46 atmospheres. (PC) 67*P*

HARRIS M.C. *see* ANGEL A. & HARRIS M.C. Effect of chemoreceptor activation on responses of neurones in thalamus and cortex to forepaw stimulation in the anaesthetized rat. (C) 25*P*

HARRISON P.J. *see* EDWARDS F.R., HARRISON P.J., JACK J.J.B. & KULLMANN D.M. Reduction by baclofen of monosynaptic EPSPs in lumbosacral motoneurones of the anaesthetized cat. 539

HARRISON P.J. & RIDDELL J.S. The effect of muscle stretch and contraction on the discharges of lumbosacral interneurones in the anaesthetized cat. (C) 20*P*

HASAN M. *see* GLEES P., HASAN M. & VOTH D. Ultrastructural observations on transendothelial transport from extracellular neuronal spaces towards the vascular lumina of cerebral capillaries of hydrocephalic human biopsies. (D) 5*P*

HEISTAD Donald D. *see* BAUMBACH Gary L., HEISTAD Donald D. & SIEMS Jay E. Effect of sympathetic nerves on composition and distensibility of cerebral arterioles in rats. 123

HENDERSON Z. & IGIELMAN F. An unusual arrangement of putative cholinergic terminals is observed with immunohistochemistry in the nucleus of the solitary tract of the ferret. (C) 53*P*

HERVEY G.R. *see* DUGGAN J.P. & HERVEY G.R. Automatic recording of voluntary food intake by individual rats. (D) 14*P*

HICK D.G. *see* CASEY J.F., DAVIES G.A., ETTLES D.F., HICK D.G., MORRISON J.F.B. & WILLIAMS G.J. A system for ambulatory monitoring and physiological analysis of oesophageal motility, luminal pH and ischaemic ECG changes in patients with chest pain. (D) 3*P*

HOLDEN A.V. *see* BRINDLEY J., HOLDEN A.V. & PALMER A. A numerical model for re-entry in weakly coupled parallel excitable fibres. (C) 48*P*

HOLT J. *see* BLACKETT A.D., CANAVAN J.P., GOLDSPINK D.F. & HOLT J. Growth of the rat fetal liver during normal and diabetic pregnancies. (C) 49*P*

HUIZINGA Jan D. *see* BARAJAS-LÓPEZ Carlos, CHOW Edwin, DEN HERTOG Adriaan & HUIZINGA Jan D. Role of the sodium pump in pacemaker generation in dog colonic smooth muscle. 369

HUIZINGA Jan D. *see* BARAJAS-LÓPEZ Carlos, DEN HERTOG Adriaan & HUIZINGA Jan D. Ionic basis of pacemaker generation in dog colonic smooth muscle. 385

HUNTER M. Isolation of single proximal tubule cells from frog kidneys. (D) 13*P*

HUNTER M. Potassium-selective channels in the basolateral membrane of isolated frog proximal tubule cells. (C) 29*P*

HUNTER M. & HURST A.M. Stretch-activated channels in single cells of the frog diluting segment. (C) 30*P*

HURST A.M. *see* HUNTER M. & HURST A.M. Stretch-activated channels in single cells of the frog diluting segment. (C) 30*P*

IGIELMAN F. *see* HENDERSON Z. & IGIELMAN F. An unusual arrangement of putative cholinergic terminals is observed with immunohistochemistry in the nucleus of the solitary tract of the ferret. (C) 53*P*

JACK J.J.B. *see* EDWARDS F.R., HARRISON P.J., JACK J.J.B. & KULLMANN D.M. Reduction by baclofen of monosynaptic EPSPs in lumbosacral motoneurones of the anaesthetized cat. 539

JØRUM E., LUNDBERG L.E.R. & TOREBJÖRK H.E. Peripheral projections of nociceptive unmyelinated axons in the human peroneal nerve. 291

KAILA K., PASTERNACK M., SAARIKOSKI J. & VOIPIO J. Influence of GABA-gated bicarbonate conductance on potential, current and intracellular chloride in crayfish muscle fibres. 161

KAKEI M. *see* ASHCROFT Frances M. & KAKEI M. ATP-sensitive K^+ channels in rat pancreatic β-cells: modulation by ATP and Mg^{2+} ions. 349

KANAIDE Hideo *see* AKAIKE Norio, KANAIDE Hideo, KUGA Takeshi, NAKAMURA Motoomi, SADOSHIMA Jun-ichi & TOMOIKE Hitonobu Low-voltage-activated calcium current in rat aorta smooth muscle cells in primary culture. 141

KAPPAGODA C.T. & RAVI K. Plasmapheresis affects responses of slowly and rapidly adapting airway receptors to pulmonary venous congestion in dogs. 79

KARIM F. *see* AL-OBAIDI M., GOONEWARDENE I.P., KARIM F., MAJID D.S.A. & SUMMERILL R.A. Simple method of measurement of changes in total vascular capacitance in anaesthetized pigs from bilateral carotid occlusion. (D) 14*P*

KARIM F. *see* GOONEWARDENE I.P. & KARIM F. Effect of adenosine deaminase on free-flow post-tetanic hyperaemia in anaesthetized dogs. (C) 59*P*

KARIM F. *see* AL-OBAIDI M. & KARIM F. Effects of carotid chemoreceptor stimulation on renal and muscle blood flow in anaesthetized dogs. (PC) 68*P*

KAY I.S. *see* BIRNSO O.V., DAVIES W.E. & KAY I.S. Taurine depletion by β-alanine produces hearing deficits in anaesthetized ferrets. (C) 22*P*

KAYE D. *see* DRINKHILL M.J., KAYE D., MARY D.A.S.G. & PATEL P. Measurement of reflex changes in coronary blood flow in the anaesthetized dog. (D) 7*P*

KIDD C. *see* AL-TIMMAN J.K.A., BOWSER-RILEY F., HAINSWORTH R. & KIDD C. A device for the generation of fixed negative or positive pressures for application to a neck chamber for the study of the baroreceptor reflex in humans. (D) 11*P*

KIDD C. *see* AL-TIMMAN J.K.A., BOWSER-RILEY F., HAINSWORTH R. & KIDD C. Baroreceptor responses in men during exposure to hydrostatic pressures of 46 atmospheres. (PC) 67*P*

KIMURA J. *see* BROWN H.F., DENYER J.C. & KIMURA J. Manganese-induced increase of hyperpolarization-activated current, i_f, in rabbit sino-atrial node multicellular preparations and isolated cells. (C) 45*P*

KIRBY M.S. *see* BOYETT M.R. & KIRBY M.S. Changes in the length, width and volume of isolated rat ventricular myocytes during an unloaded twitch contraction. (C) 40*P*

KONTAKIOTIS T. *see* BARER G.R., EMERY C.J., KONTAKIOTIS T., RUSSELL P.C. & WRIGHT C. Pulmonary vasodilatation by histamine in normal and chronically hypoxic anaesthetized rats: site of action. (C) 26*P*

KUGA Takeshi *see* AKAIKE Norio, KANAIDE Hideo, KUGA Takeshi, NAKAMURA Motoomi, SADOSHIMA Jun-ichi & TOMOIKE Hitonobu Low-voltage-activated calcium current in rat aorta smooth muscle cells in primary culture. 141

KULLMANN D.M. *see* EDWARDS F.R., HARRISON P.J., JACK J.J.B. & KULLMANN D.M. Reduction by baclofen of monosynaptic EPSPs in lumbosacral motoneurones of the anaesthetized cat. 539

LAMB T.D. *see* FAIN G.L., LAMB T.D., MATTHEWS H.R. & MURPHY R.L.W. Cytoplasmic calcium as the messenger for light adaptation in salamander rods. 215

LEE J.A. *see* ALLEN D.G. & LEE J.A. EMD 53998 increases tension with little effect on the amplitude of calcium transients in isolated ferret ventricular muscle. (C) 43*P*

LE GUENNEC J.-Y. *see* ARGIBAY J.A., GARNIER D., LE GUENNEC J.-Y., NIGRETTO J.M. & PEINEAU N. Mechanical properties of isolated guinea-pig ventricular cardiocytes subjected to a mechanical load. (C) 39*P*

LEVI Allan J. The effect of strophanthidin on action potential and contraction in isolated ventricular myocytes from the guinea-pig. (C) 44*P*

LEVIN R.J. & SEBKHI A. Electrogenic ion secretion of rat endometrium *in vitro* – action of adrenaline and A23187. (C) 37*P*

LEWIS D.I. *see* COOTE J.H. & LEWIS D.I. The action of catecholamines on sympathetic preganglionic neurones in the T_2 segment of the anaesthetized adult rat spinal cord. (C) 17*P*

LITTLE R.A. *see* ANDERSON I.D., FORSLING M.L., LITTLE R.A. & PYMAN J.A. Acute injury is a potent stimulus for vasopressin release in man. (C) 28*P*

LUCAS M.L. & MCKIE A.T. The effect of surfactants on mucosal surface pH and nucleotide levels in the proximal jejunum *in vivo* of the anaesthetized rat. (C) 62*P*

LUNDBERG L.E.R. *see* JØRUM E., LUNDBERG L.E.R. & TOREBJÖRK H.E. Peripheral projections of nociceptive unmyelinated axons in the human peroneal nerve. 291

LYNCH M.A. *see* BLISS T.V.P., LYNCH M.A. & WILLIAMS J.H. Increased release of glutamate and arachidonic acid accompanies calcium-induced long-term potentiation in the rat hippocampal slice. (C) 24*P*

MCCALL E. *see* BOYETT M.R., MCCALL E. & ORCHARD C.H. Acidosis increases the response of isolated papillary muscles from ferret hearts to inotropic interventions. (C) 41*P*

MACDONALD I.A. *see* GALLEN I.W. & MACDONALD I.A. The effect of blood glucose concentration on cardiovascular and plasma catecholamine responses to infusion of glucose and insulin in man. (C) 27*P*

MCINTYRE A.K., PROSKE U. & RAWSON J.A. Corticofugal action on transmission of group I input from the hindlimb to the pericruciate cortex in the cat. 19

MCKIE A.T. *see* LUCAS M.L. & MCKIE A.T. The effect of surfactants on mucosal surface pH and nucleotide levels in the proximal jejunum *in vivo* of the anaesthetized rat. (C) 62*P*

MACLEOD Kenneth T. Effects of hypoxia and metabolic inhibition on the intracellular sodium activity of mammalian ventricular muscle. 455

MCWILLIAM P.N. & YANG T. The effects of evoked activity in hindlimb afferent fibres on carotid sinus baroreflex sensitivity in the decerebrate cat. (D) 8*P*

MCWILLIAM P.N. & YANG T. The effects of electrical stimulation of group III and IV afferent fibres in the peroneal nerve of the decerebrate cat on the prolongation of pulse interval produced by carotid sinus baroreceptor stimulation. (C) 55*P*

MCWILLIAM P.N. & WOOLLEY D.C. The hexamethonium resistant bradycardia in the anaesthetized rabbit is mediated by non-myelinated vagal efferent axons. (PC) 64*P*

MAJID D.S.A. *see* AL-OBAIDI M., GOONEWARDENE I.P., KARIM F., MAJID D.S.A. & SUMMERILL R.A. Simple method of measurement of changes in total vascular capacitance in anaesthetized pigs from bilateral carotid occlusion. (D) 14*P*

MANN G.E., NORMAN P.S.R. & SMITH I.C.H. Amino acid efflux in the isolated perfused rat pancreas: *trans*-stimulation by extracellular amino acids. 485

MAQBOOL A. *see* BATTEN T.F.C. & MAQBOOL A. Ultrastructural demonstration of biogenic amine- and γ-aminobutyric acid-containing nerve terminals in the dorsal motor vagal nucleus of the cat medulla oblongata. (D) 10*P*

MARÉCHAL Georges *see* ASMUSSEN Gerhard & MARÉCHAL Georges Maximal shortening velocities, isomyosins and fibre types in soleus muscle of mice, rats and guinea-pigs. 245

MARSHALL Janice M. & MIAN Rubina Possible dilator influences of β-adrenoceptors on arterioles and venules of skeletal muscle of the anaesthetized rat during systemic hypoxia. (C) 60*P*

MARTIN Kevan A.C. *see* FRIEDLANDER Michael J. & MARTIN Kevan A.C. Development of Y-axon innervation of cortical area 18 in the cat. 183

MARY D.A.S.G. *see* DRINKHILL M.J., KAYE D., MARY D.A.S.G. & PATEL P. Measurement of reflex changes in coronary blood flow in the anaesthetized dog. (D) 7*P*

MATTHEWS E.K. *see* CUI Z.J. & MATTHEWS E.K. Amylase secretion from isolated rat pancreatic acini and cultured AR4-2J cells: effects of a photodynamic agent. (C) 30*P*

MATTHEWS H.R. *see* FAIN G.L., LAMB T.D., MATTHEWS H.R. & MURPHY R.L.W. Cytoplasmic calcium as the messenger for light adaptation in salamander rods. 215

MIAN Rubina *see* MARSHALL Janice M. & MIAN Rubina Possible dilator influences of β-adrenoceptors on arterioles and venules of skeletal muscle of the anaesthetized rat during systemic hypoxia. (C) 60*P*

MILEDI R. & WOODWARD R.M. Effects of defolliculation on membrane current responses of *Xenopus* oocytes. 601

MILEDI R. & WOODWARD R.M. Membrane currents elicited by prostaglandins, atrial natriuretic factor and oxytocin in follicle-enclosed *Xenopus* oocytes. 623

MILLER D.J., O'DOWD J.J. & TRAINOR M. Detection and estimation on the *N*-acetyl derivatives of carnosine, homocarnosine and anserine in rat brain by analytical HPLC. (C) 23*P*

MISELIS R.R., ROGERS W.T., SCHWABER J.S. & SPYER K.M. Localization of cardiomotor neurones in the anaesthetized rat; cholera-toxin HRP conjugate and pseudorabies labelling. (PC) 63*P*

MOORE Jane *see* APPENTENG Kwabena, CONYERS Lisa, CURTIS John & MOORE Jane Mapping the monosynaptic connections of identified trigeminal interneurones in anaesthetized rats. (D) 4*P*

MORIMOTO Akio, MURAKAMI Naotoshi, NAKAMORI Tomoki, SAKATA Yoshiyuki & WATANABE Tatsuo Brain regions involved in the development of acute phase responses accompanying fever in rabbits. 645

MORRISON J.F.B. *see* CASEY J.F., DAVIES G.A., ETTLES D.F., HICK D.G., MORRISON J.F.B. & WILLIAMS G.J. A system for ambulatory monitoring and physiological analysis of oesophageal motility, luminal pH and ischaemic ECG changes in patients with chest pain. (D) 3*P*

MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The application of quantitative light-microscopic autoradiography to study hormone-induced β-adrenoceptor regulation in the rat. (D) 6*P*

MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The effects of denervation on β-adrenoceptors in rat bladder. (C) 15*P*

MORRISON J.F.B. *see* CARSTAIRS Jill R., MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The autoradiographic localization of substance P and calcitonin gene-related peptide binding sites in blood vessels of the rat. (PC) 66*P*

MURAKAMI Naotoshi *see* MORIMOTO Akio, MURAKAMI Naotoshi, NAKAMORI Tomoki, SAKATA Yoshiyuki & WATANABE Tatsuo Brain regions involved in the development of acute phase responses accompanying fever in rabbits. 645

MURPHY D. *see* CARTER D.A. & MURPHY D. Activation of vasopressin gene expression in fluid-deprived rats. (C) 33*P*

MURPHY R.L.W. *see* FAIN G.L., LAMB T.D., MATTHEWS H.R. & MURPHY R.L.W. Cytoplasmic calcium as the messenger for light adaptation in salamander rods. 215

MURRAY K.J. *see* GIRALDEZ F., MURRAY K.J., SEPÚLVEDA F.V. & SHEPPARD D.N. Characterization of a phosphorylation-activated Cl^--selective channel in isolated *Necturus* enterocytes. 517

MYNETT J.R. *see* BATTEN T.F.C. & MYNETT J.R. Serotonin stimulates atrial natriuretic peptide release from isolated rat atria. (PC) 69*P*

NAKAMORI Tomoki *see* MORIMOTO Akio, MURAKAMI Naotoshi, NAKAMORI Tomoki, SAKATA Yoshiyuki & WATANABE Tatsuo Brain regions involved in the development of acute phase responses accompanying fever in rabbits. 645

NAKAMURA Motoomi *see* AKAIKE Norio, KANAIDE Hideo, KUGA Takeshi, NAKAMURA Motoomi, SADOSHIMA Jun-ichi & TOMOIKE Hitonobu Low-voltage-activated calcium current in rat aorta smooth muscle cells in primary culture. 141

NEAL D.E. *see* CHARLTON B.G., NEAL D.E. & SIMMONS N.L. Vasoactive intestinal peptide stimulation of human renal adenylate cyclase *in vitro*. (C) 32*P*

NEERING Ian R. *see* FRYER Martin W. & NEERING Ian R. Actions of caffeine on fast- and slow-twitch muscles of the rat. 435

NELSON M.T. *see* BRAYDEN J.E., NELSON M.T., QUAYLE J.M. & STANDEN N.B. Blockers of ATP-sensitive potassium channels reverse vasodilatation and hyperpolarization to acetylcholine,

vasoactive intestinal polypeptide, cromakalim, diazoxide and pinacidil in rabbit isolated arteries. (C) 47*P*

NEWCOMBE A. *see* BOYETT M.R., DEANE G.B., NEWCOMBE A. & ORCHARD C.H. A versatile pulse generator for controlling physiological experiments. (D) 2*P*

NIELSEN Jens *see* CRONE Clarissa & NIELSEN Jens Spinal mechanisms in man contributing to reciprocal inhibition during voluntary dorsiflexion of the foot. 255

NIGRETTO J.M. *see* ARGIBAY J.A., GARNIER D., LE GUENNEC J.-Y., NIGRETTO J.M. & PEINEAU N. Mechanical properties of isolated guinea-pig ventricular cardiocytes subjected to a mechanical load. (C) 39*P*

NIMMO A.J. *see* MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The application of quantitative light-microscopic autoradiography to study hormone-induced β-adrenoceptor regulation in the rat. (D) 6*P*

NIMMO A.J. *see* MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The effects of denervation on β-adrenoceptors in rat bladder. (C) 15*P*

NIMMO A.J. *see* CARSTAIRS Jill R., MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The autoradiographic localization of substance P and calcitonin gene-related peptide binding sites in blood vessels of the rat. (PC) 66*P*

NORMAN P.S.R. *see* MANN G.E., NORMAN P.S.R. & SMITH I.C.H. Amino acid efflux in the isolated perfused rat pancreas: *trans*-stimulation by extracellular amino acids. 485

O'DOWD J.J. *see* MILLER D.J., O'DOWD J.J. & TRAINOR M. Detection and estimation on the *N*-acetyl derivatives of carnosine, homocarnosine and anserine in rat brain by analytical HPLC. (C) 23*P*

O'NEILL S.C. *see* BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. Measurements of intracellular Ca^{2+} in dissociated type I cells of the rabbit carotid body. 421

O'NEILL S.C. *see* DONOSO P., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. The fluorescent probe Indo-1 can indicate $[Ca^{2+}]_i$ and caffeine concentration simultaneously. (C) 42*P*

ORCHARD C.H. *see* BOYETT M.R., DEANE G.B., NEWCOMBE A. & ORCHARD C.H. A versatile pulse generator for controlling physiological experiments. (D) 2*P*

ORCHARD C.H. *see* BOYETT M.R., MCCALL E. & ORCHARD C.H. Acidosis increases the response of isolated papillary muscles from ferret hearts to inotropic interventions. (C) 41*P*

PALLOTTA Theresa & PERES Antonio Membrane conductance oscillations induced by serum in quiescent human skin fibroblasts. 589

PALMER A. *see* BRINDLEY J., HOLDEN A.V. & PALMER A. A numerical model for re-entry in weakly coupled parallel excitable fibres. (C) 48*P*

PANZICA Ferruccio *see* AVANZINI Giuliano, DE CURTIS Marco, PANZICA Ferruccio & SPREAFICO Roberto Intrinsic properties of nucleus reticularis thalami neurones of the rat studied *in vitro*. 111

PASTERNACK M. *see* KAILA K., PASTERNACK M., SAARIKOSKI J. & VOIPIO J. Influence of GABA-gated bicarbonate conductance on potential, current and intracellular chloride in crayfish muscle fibres. 161

PATEL P. *see* DRINKHILL M.J., KAYE D., MARY D.A.S.G. & PATEL P. Measurement of reflex changes in coronary blood flow in the anaesthetized dog. (D) 7*P*

PATON J.F.R. & SPYER K.M. Putative roles for the nucleus tractus solitarii and lateral parabrachial nucleus in relaying the cardiovascular responses from the posterior cerebellar vermis in the rabbit. (C) 54*P*

PEDIANI John D. *see* BOVELL Douglas L., ELDER Hugh Y., PEDIANI John D. & WILSON Stuart M. Potassium ($^{86}Rb^+$) efflux from the rat submandibular gland under sodium-free conditions *in vitro*. 503

PEINEAU N. *see* ARGIBAY J.A., GARNIER D., LE GUENNEC J.-Y., NIGRETTO J.M. & PEINEAU N. Mechanical properties of isolated guinea-pig ventricular cardiocytes subjected to a mechanical load. (C) 39*P*

PERES Antonio *see* PALLOTTA Theresa & PERES Antonio Membrane conductance oscillations induced by serum in quiescent human skin fibroblasts. 589

PETERSEN S.A. *see* BOUROUMAND-NAINI M. & PETERSEN S.A. Strain differences in obesity produced by long-term feeding of high fat diet to rats. (C) 52*P*

POTTS D.J. *see* BECK J.S. & POTTS D.J. Acetazolamide and transient responses of basolateral membrane potential of rabbit kidney proximal tubules perfused *in vitro*. 337

POTTS D.J. *see* BECK J.S. & POTTS D.J. Cell swelling in rabbit proximal convoluted tubules perfused *in vitro*. (C) 31*P*

PRESTON J.E. & SEGAL M.B. Uptake characteristics of anionic and cationic amino acids at the basolateral face of the isolated perfused sheep choroid plexus. (C) 34*P*

PROSKE U. *see* MCINTYRE A.K., PROSKE U. & RAWSON J.A. Corticofugal action on transmission of group I input from the hindlimb to the pericruciate cortex in the cat. 19

PYMAN J.A. *see* ANDERSON I.D., FORSLING M.L., LITTLE R.A. & PYMAN J.A. Acute injury is a potent stimulus for vasopressin release in man. (C) 28*P*

QUAYLE J.M. *see* BRAYDEN J.E., NELSON M.T., QUAYLE J.M. & STANDEN N.B. Blockers of ATP-sensitive potassium channels reverse vasodilatation and hyperpolarization to acetylcholine, vasoactive intestinal polypeptide, cromakalim, diazoxide and pinacidil in rabbit isolated arteries. (C) 47*P*

RAVI K. *see* KAPPAGODA C.T. & RAVI K. Plasmapheresis affects responses of slowly and rapidly adapting airway receptors to pulmonary venous congestion in dogs. 79

RAWSON J.A. *see* MCINTYRE A.K., PROSKE U. & RAWSON J.A. Corticofugal action on transmission of group I input from the hindlimb to the pericruciate cortex in the cat. 19

REMBOLD Christopher M. Desensitization of swine arterial smooth muscle to transplasmalemmal Ca^{2+} influx. 273

RENAUD Jean Marc The effect of lactate on intracellular pH and force recovery of fatigued sartorius muscles of the frog, *Rana pipiens*. 31

RIDDELL J.S. *see* HARRISON P.J. & RIDDELL J.S. The effect of muscle stretch and contraction on the discharges of lumbosacral interneurones in the anaesthetized cat. (C) 20*P*

RODRIGO Glenn C. *see* CHAPMAN R.A. & RODRIGO Glenn C. Characteristics of the Na activated K-current in isolated guinea-pig ventricular myocytes, revealed by the rise in a^{i}_{Na} during Ca-depletion. (C) 46*P*

ROGERS W.T. *see* MISELIS R.R., ROGERS W.T., SCHWABER J.S. & SPYER K.M. Localization of cardiomotor neurones in the anaesthetized rat; cholera-toxin HRP conjugate and pseudorabies labelling. (PC) 63*P*

RÖPER Jochen & SCHWARZ Jürgen R. Heterogeneous distribution of fast and slow potassium channels in myelinated rat nerve fibres. 93

RUSSELL P.C. *see* BARER G.R., EMERY C.J., KONTAKIOTIS T., RUSSELL P.C. & WRIGHT C. Pulmonary vasodilatation by histamine in normal and chronically hypoxic anaesthetized rats: site of action. (C) 26*P*

SAARIKOSKI J. *see* KAILA K., PASTERNACK M., SAARIKOSKI J. & VOIPIO J. Influence of GABA-gated bicarbonate conductance on potential, current and intracellular chloride in crayfish muscle fibres. 161

SADOSHIMA Jun-ichi *see* AKAIKE Norio, KANAIDE Hideo, KUGA Takeshi, NAKAMURA Motoomi, SADOSHIMA Jun-ichi & TOMOIKE Hitonobu Low-voltage-activated calcium current in rat aorta smooth muscle cells in primary culture. 141

SAKATA Yoshiyuki *see* MORIMOTO Akio, MURAKAMI Naotoshi, NAKAMORI Tomoki, SAKATA Yoshiyuki & WATANABE Tatsuo Brain regions involved in the development of acute phase responses accompanying fever in rabbits. 645

SANDERS K.M. & VOGALIS F. Organization of electrical activity in the canine pyloric canal. 49

SCHIEPPATI Marco *see* GRITTI Ivana & SCHIEPPATI Marco Short-latency inhibition of soleus motoneurones by impulses in Ia afferents from the gastrocnemius muscle in humans. 469

SCHWABER J.S. *see* MISELIS R.R., ROGERS W.T., SCHWABER J.S. & SPYER K.M. Localization of cardiomotor neurones in the anaesthetized rat; cholera-toxin HRP conjugate and pseudorabies labelling. (PC) 63*P*

SCHWARZ Jürgen R. *see* RÖPER Jochen & SCHWARZ Jürgen R. Heterogeneous distribution of fast and slow potassium channels in myelinated rat nerve fibres. 93

SEBKHI A. *see* LEVIN R.J. & SEBKHI A. Electrogenic ion secretion of rat endometrium *in vitro* – action of adrenaline and A23187. (C) 37*P*

SEGAL M.B. *see* PRESTON J.E. & SEGAL M.B. Uptake characteristics of anionic and cationic amino acids at the basolateral face of the isolated perfused sheep choroid plexus. (C) 34*P*

SEITZ P.K. *see* ABBAS S.K., CARE A.D., COOPER C.W., GREELY G.H. & SEITZ P.K. Stimulation of calcitonin secretion rate by calcitonin gene-related peptide in the anaesthetized pig. (C) 50*P*

SEPÚLVEDA F.V. *see* GIRALDEZ F., MURRAY K.J., SEPÚLVEDA F.V. & SHEPPARD D.N. Characterization of a phosphorylation-activated Cl^--selective channel in isolated *Necturus* enterocytes. 517

SHEPPARD D.N. *see* GIRALDEZ F., MURRAY K.J., SEPÚLVEDA F.V. & SHEPPARD D.N. Characterization of a phosphorylation-activated Cl^--selective channel in isolated *Necturus* enterocytes. 517

SIEMS Jay E. *see* BAUMBACH Gary L., HEISTAD Donald D. & SIEMS Jay E. Effect of sympathetic nerves on composition and distensibility of cerebral arterioles in rats. 123

SILLITO A.M. *see* GRIEVE K.L. & SILLITO A.M. Length summation in layer VI cells of visual cortex and hypercomplex cell inhibitory end zones in the anaesthetized cat. (C) 21*P*

SIMMONS N.L. *see* CHARLTON B.G., NEAL D.E. & SIMMONS N.L. Vasoactive intestinal peptide stimulation of human renal adenylate cyclase *in vitro*. (C) 32*P*

SMITH I.C.H. *see* MANN G.E., NORMAN P.S.R. & SMITH I.C.H. Amino acid efflux in the isolated perfused rat pancreas: *trans*-stimulation by extracellular amino acids. 485

SMITH M.W. *see* COLLINS A.J. & SMITH M.W. Hexose regulation of α-glucosidase in mouse jejunal brush-border membranes. (C) 35*P*

SPREAFICO Roberto *see* AVANZINI Giuliano, DE CURTIS Marco, PANZICA Ferruccio & SPREAFICO Roberto Intrinsic properties of nucleus reticularis thalami neurones of the rat studied *in vitro*. 111

SPYER K.M. *see* PATON J.F.R. & SPYER K.M. Putative roles for the nucleus tractus solitarii and lateral parabrachial nucleus in relaying the cardiovascular responses from the posterior cerebellar vermis in the rabbit. (C) 54*P*

SPYER K.M. *see* MISELIS R.R., ROGERS W.T., SCHWABER J.S. & SPYER K.M. Localization of cardiomotor neurones in the anaesthetized rat; cholera-toxin HRP conjugate and pseudorabies labelling. (PC) 63*P*

STANDEN N.B. *see* BRAYDEN J.E., NELSON M.T., QUAYLE J.M. & STANDEN N.B. Blockers of ATP-sensitive potassium channels reverse vasodilatation and hyperpolarization to acetylcholine, vasoactive intestinal polypeptide, cromakalim, diazoxide and pinacidil in rabbit isolated arteries. (C) 47*P*

STRANG L.B. *see* BARKER P.M., STRANG L.B. & WALTERS D.V. The role of triiodothyronine (T_3) in maturation of the adrenaline-induced reabsorption of lung liquid in the fetal sheep. (C) 51*P*

SUMMERILL R.A. *see* AL-OBAIDI M., GOONEWARDENE I.P., KARIM F., MAJID D.S.A. & SUMMERILL R.A. Simple method of measurement of changes in total vascular capacitance in anaesthetized pigs from bilateral carotid occlusion. (D) 14*P*

SYKES R. *see* CHESTER A.H., DASHWOOD M.R., SYKES R. & YACOUB M.H. Autoradiographic localization of endothelin binding sites in human coronary tissue. (PC) 65*P*

TAN Wen & ZUCKER Irving H. Acute carotid baroreflex resetting in conscious dogs. 557

TAYLOR J.S. *see* CLARKE R.W., FORD T.W., GALLOWAY Fiona J. & TAYLOR J.S. Naloxone enhancement of flexor and extensor reflexes in the rabbit. (C) 18*P*

TOKIMASA T. *see* AKASU T. & TOKIMASA T. Potassium currents in submucous neurones of guinea-pig caecum and their synaptic modification. 571

TOMOIKE Hitonobu *see* AKAIKE Norio, KANAIDE Hideo, KUGA Takeshi, NAKAMURA Motoomi, SADOSHIMA Jun-ichi & TOMOIKE Hitonobu Low-voltage-activated calcium current in rat aorta smooth muscle cells in primary culture. 141

TOREBJÖRK H.E. *see* JØRUM E., LUNDBERG L.E.R. & TOREBJÖRK H.E. Peripheral projections of nociceptive unmyelinated axons in the human peroneal nerve. 291

TRAINOR M. *see* MILLER D.J., O'DOWD J.J. & TRAINOR M. Detection and estimation on the *N*-acetyl derivatives of carnosine, homocarnosine and anserine in rat brain by analytical HPLC. (C) 23*P*

VALDEOLMILLOS M. *see* BISCOE T.J., DUCHEN M.R., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. Measurements of intracellular Ca^{2+} in dissociated type I cells of the rabbit carotid body. 421

VALDEOLMILLOS M. *see* DONOSO P., EISNER D.A., O'NEILL S.C. & VALDEOLMILLOS M. The fluorescent probe Indo-1 can indicate $[Ca^{2+}]_i$ and caffeine concentration simultaneously. (C) 42*P*

VOGALIS F. *see* SANDERS K.M. & VOGALIS F. Organization of electrical activity in the canine pyloric canal. 49

VOIPIO J. *see* KAILA K., PASTERNACK M., SAARIKOSKI J. & VOIPIO J. Influence of GABA-gated bicarbonate conductance on potential, current and intracellular chloride in crayfish muscle fibres. 161

VOTH D. *see* GLEES P., HASAN M. & VOTH D. Ultrastructural observations on transendothelial transport from extracellular neuronal spaces towards the vascular lumina of cerebral capillaries of hydrocephalic human biopsies. (D) 5*P*

VUKASOVIC J.L. *see* AL-TIMMAN J.K.A., HAINSWORTH R. & VUKASOVIC J.L. A chamber for the application of high levels of either positive or negative pressures to the lower part of the body in human subjects. (D) 12*P*

WALTERS D.V. *see* BARKER P.M., STRANG L.B. & WALTERS D.V. The role of triiodothyronine (T_3) in maturation of the adrenaline-induced reabsorption of lung liquid in the fetal sheep. (C) 51*P*

WATANABE Tatsuo *see* MORIMOTO Akio, MURAKAMI Naotoshi, NAKAMORI Tomoki, SAKATA Yoshiyuki &

WATANABE Tatsuo Brain regions involved in the development of acute phase responses accompanying fever in rabbits. 645

WEEKS Ophelia I. *see* ENGLISH Arthur W. & WEEKS Ophelia I. Electromyographic cross-talk within a compartmentalized muscle of the cat. 327

WHITAKER Elaine M. *see* MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The application of quantitative light-microscopic autoradiography to study hormone-induced β-adrenoceptor regulation in the rat. (D) 6*P*

WHITAKER Elaine M. *see* MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The effects of denervation on β-adrenoceptors in rat bladder. (C) 15*P*

WHITAKER Elaine M. *see* CARSTAIRS Jill R., MORRISON J.F.B., NIMMO A.J. & WHITAKER Elaine M. The autoradiographic localization of substance P and calcitonin gene-related peptide binding sites in blood vessels of the rat. (PC) 66*P*

WILLIAMS G.J. *see* CASEY J.F., DAVIES G.A., ETTLES D.F., HICK D.G., MORRISON J.F.B. & WILLIAMS G.J. A system for ambulatory monitoring and physiological analysis of oesophageal motility, luminal pH and ischaemic ECG changes in patients with chest pain. (D) 3*P*

WILLIAMS J.H. *see* BLISS T.V.P., LYNCH M.A. & WILLIAMS J.H. Increased release of glutamate and arachidonic acid accompanies calcium-induced long-term potentiation in the rat hippocampal slice. (C) 24*P*

WILSON Stuart M. *see* BOVELL Douglas L., ELDER Hugh Y., PEDIANI John D. & WILSON Stuart M. Potassium ($^{86}Rb^{+}$) efflux from the rat submandibular gland under sodium-free conditions *in vitro*. 503

WINLOW W. Methods for studying the effects of anaesthetics on isolated molluscan neurones. (D) 14*P*

WOODWARD R.M. *see* MILEDI R. & WOODWARD R.M. Effects of defolliculation on membrane current responses of *Xenopus* oocytes. 601

WOODWARD R.M. *see* MILEDI R. & WOODWARD R.M. Membrane currents elicited by prostaglandins, atrial natriuretic factor and oxytocin in follicle-enclosed *Xenopus* oocytes. 623

WOOLLEY D.C. *see* MCWILLIAM P.N. & WOOLLEY D.C. The hexamethonium resistant bradycardia in the anaesthetized rabbit is mediated by non-myelinated vagal efferent axons. (PC) 64*P*

WRIGHT C. *see* BARER G.R., EMERY C.J., KONTAKIOTIS T., RUSSELL P.C. & WRIGHT C. Pulmonary vasodilatation by histamine in normal and chronically hypoxic anaesthetized rats: site of action. (C) 26*P*

YACOUB M.H. *see* CHESTER A.H., DASHWOOD M.R., SYKES R. & YACOUB M.H. Autoradiographic localization of endothelin binding sites in human coronary tissue. (PC) 65*P*

YANG T. *see* MCWILLIAM P.N. & YANG T. The effects of evoked activity in hindlimb afferent fibres on carotid sinus baroreflex sensitivity in the decerebrate cat. (D) 8*P*

YANG T. *see* MCWILLIAM P.N. & YANG T. The effects of electrical stimulation of group III and IV afferent fibres in the peroneal nerve of the decerebrate cat on the prolongation of pulse interval produced by carotid sinus baroreceptor stimulation. (C) 55*P*

ZUCKER Irving H. *see* TAN Wen & ZUCKER Irving H. Acute carotid baroreflex resetting in conscious dogs. 557